

Manufacturer of all kind of Surgical Instruments Sets



PRODUCT CATALOG

Surgical Instruments Sets



Alibaba
Gold Supplier

Visit Alibaba Site:



About Us!



ABOUT US


WELCOME TO PENTAX SURGICAL

Established in 2008, PENTAX SURGICAL is on a mission to redefine the industry by proving that quality doesn't have to be sacrificed for competitiveness. Our commitment revolves around producing high-quality instruments at prices that keep you smiling. From our humble beginnings as a family-run veriere, we've evolved into a significant player in the market.

Our mission is clear to instill confidence in our clients by delivering Instruments of the highest quality at prices that make sense. We understand that the key to succes lies in customer satisfaction and loyalty, which forms the core of our vision. As we grow, our focus reamins on fostering strong relationorishps with our customers

At PENTAX SURGICAL, we firmly believe that quality is never accidental, it's the outcome of thoughtful and intelligent effort Each instrument we produce reflects this commitment to excellence, ensuring you receive products that exceed expectations. Join us on our journey as we continue to set new standards in quality and customer satisfaction.

ACL PCL Knee Arthroscopy Surgical Surgery Instruments Set 48 Pcs Premium Quality



Description:

- | | |
|--------------------------------------------------|-------------------------------------------------------|
| Main zig 1 Elbow aimer1 | Tunnel Plug, 7-8 mm1 , unnel T Plug, 8-9 mm1 |
| PCL Tibial 1 PCL Femoral1 , Angle Bullate1 | Tunnel Plug, 9-10 mm1 |
| Graft passing 2.4mm Drill Bit1 | Tunnel Dilator, 7mm1 ,Tunnel Dilator, 8mm1 |
| Graft passing pin (Beadth pin)1 | Tunnel Dilator, 9mm1 |
| Cannulated Tibial Reamer, Dia.6.0mm1 | T-Handle for Tunnel Dilators1 |
| Cannulated Tibial Reamer, Dia.7.0mm1 | Cannulated screwdriver for BioLoc interference screw1 |
| Cannulated Tibial Reamer, Dia.8.0mm1 | Impactor for spiked ligament staple1 |
| Cannulated Tibial Reamer, Dia.9.0mm1 | Arthroscopic Probe1 |
| Cannulated Tibial Reamer, Dia.10.0mm1 | Microfracture Awl, 30°1 |
| Cannulated Tibial Reamer, Dia.11.0mm1 | Microfracture Awl, 45°1 |
| Cannulated Femoral Flowertip Reamer, Dia.6.0mm1 | Microfracture Awl, 90°1 |
| Cannulated Femoral Flowertip Reamer, Dia.7.0mm1 | Graft Prep Station1 , Graft Sizing Block1 |
| Cannulated Femoral Flowertip Reamer, Dia.8.0mm1 | Tendon Stripper, Closed end, 6mm1 |
| Cannulated Femoral Flowertip Reamer, Dia.9.0mm1 | Tendon Stripper, Open end, 7mm1 |
| Cannulated Femoral Flowertip Reamer, Dia.10.0mm1 | Straight Rasp1 Convex Rasp 1 |
| Cannulated Femoral Flowertip Reamer, Dia.11.0mm1 | Femoral PCL Elevator 1 |
| Depth Gauge for ACL/PCL reconstruction1 | Trocar Pin 1 |
| Femoral Aimer, 5mm1 , Femoral Aimer, 7mm1 | Empty Container for Knee Arthroscopy Instruments 1 |

ACL PCL Knee Arthroscopy Surgical Surgery Instruments Set 48 Pcs Premium Quality




Description:

Main zig 1 Elbow aimer1
 PCL Tibial 1 PCL Femoral1 Angle , Bullate1
 Graft passing 2.4mm Drill Bit1
 Graft passing in p(Beadth pin)1
 Cannulated Tibial Reamer, Dia.6.0mm1
 Cannulated Tibial Reamer, Dia.7.0mm1
 Cannulated Tibial Reamer, Dia.8.0mm1
 Cannulated Tibial Reamer, Dia.9.0mm1
 Cannulated Tibial Reamer, Dia.10.0mm1
 Cannulated Tibial Reamer, Dia.11.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.6.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.7.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.8.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.9.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.10.0mm1
 Cannulated Femoral Flowertip Reamer, Dia.11.0mm1
 Depth Gauge for ACL/PCL reconstruction1
 Femoral Aimer, 5mm1 , Femoral Aimer, 7mm1

Tunnel Plug, 7-8 mm1 T, unnel Plug, 8-9 mm1
 Tunnel Plug, 9-10 mm1
 Tunnel Dilator, 7mm1 ,Tunnel Dilator, 8mm1
 Tunnel Dilator, 9mm1
 T-Handle for Tunnel Dilators1
 Cannulated screwdriver for BioLoc interference screw1
 Impactor for spiked ligament staple1
 Arthroscopic Probe1
 Microfracture Awl, 30°1
 Microfracture Awl, 45°1
 Microfracture Awl, 90°1
 Graft Prep Station1 , Graft Sizing Block1
 Tendon Stripper, Closed end, 6mm1
 Tendon Stripper, Open end, 7mm1
 Straight Rasp1 Convex Rasp 1
 Femoral PCL Elevator 1
 Trocar Pin 1
 Empty Container for Knee Arthroscopy Instruments 1

Broken Screw Removal Instruments Set Premium Quality



Description:

- Cross Screwdriver
- Slotted Screwdriver, 3mm
- Slotted Screwdriver, 6mm
- Square Screwdriver, 1.2mm
- Square Screwdriver, 1.5mm
- Trepan, 4mm1 - Trepan, 5mm
- Trepan, 6.5mm
- Hexagon Screwdriver, 1.5mm
- Hexagon Screwdriver, 2.0mm
- Hexagon Screwdriver, 2.5mm
- Hexagon Screwdriver, 3.0mm
- Hexagon Screwdriver, 3.5mm
- Hexagon Screwdriver, 4.0mm
- Hexagon Screwdriver, 4.5mm
- Hexagon Screwdriver, 5.0mm
- Hexagon Screwdriver, 5.5mm
- Trepine, 2.0mm1 - Trepine, 2.7mm
- Trepine, 4.0mm1 - Trepine, 5.0mm
- Trepine, 6.5mm1 - Trepine, 8mm
- Hexagon Slip Extractor, 1.2mm
- Hexagon Slip Extractor, 2.5mm
- Hexagon Slip Extractor, 2.7mm
- Hexagon Slip Extractor, 3.5mm
- Hexagon Slip Extractor, 4.0mm
- Torx Screwdriver, T8
- Torx Screwdriver, T9
- Torx Screwdriver, T10
- Torx Screwdriver, T15
- Torx Screwdriver, T18
- Torx Screwdriver, T20
- Torx Screwdriver, T25
- Torx Screwdriver, T30
- Spine T-Style Spanner
- Drill Bit, 4mm 1 - Drill Bit, 5mm1 - Drill Bit, 6mm
- Reamer 1 - Sharp Hook 1 - Quick Handle, T-Style
- Quick Handle, Straight
- Trepine, 4.5mm 1 T- repine, 3.5mm
- Bone Screw Holding Forceps
- Bone Gouge, 8mm
- Sterilization Case Overall Dimensions:
13 Inch Lx 8.5 Inch W x 3.25 Inch H Aluminum Box
Instrumentation Case 100% Guaranty

MARTIN ARM Neurosurgery retractor liver System Complete Orthopedic Set.



Description:

Premium Grade Martin Arm Surgical
Retractor System Complete Set
Product Description

Martin Arm Surgical Retractor System
Complete Set BRAND NEW Quality
A+
Bed Support
Rod
Moveable Arm
Wires as shown in Picture

Bookwalter Kit Retractor System Surgical Premium Grade Quality Set With Box



Description:

Ring + Blade TRAY
1" POST COUPLING BALFOUR RETRACTOR
HORIZONTAL FLEX BAR
HARRINGTON FLEX BAR
MEDIUM OVAL RING
SEGMENTED RING
GELPI RETRACTOR
MALLEABLE RETRACTOR 2(2"X6"/51MMX152MM)
MALLEABLE RETRACTOR 1(3"X6"/76MMX152MM)
KELLY RETRACTOR 2(2"X3"/51MMX76MM)
KELLY RETRACTOR 1(2"X4"/51MMX110MM)
KELLY RETRACTOR 1(2"X5"/51MMX127MM)
KELLY RETRACTOR 1(2"X6"/51MMX152MM)

TILT RATCHET
MECHANISMS
RATCHET MACHANISMS

Bookwalter Kit Retractor System Surgical Premium Grade Quality Set With Box



Description:

Ring + Blade TRAY
1" POST COUPLING BALFOUR RETRACTOR
HORIZONTAL FLEX BAR
HARRINGTON FLEX BAR
MEDIUM OVAL RING
SEGMENTED RING
GELPI RETRACTOR
MALLEABLE RETRACTOR 2(2"X6"/51MMX152MM)
MALLEABLE RETRACTOR 1(3"X6"/76MMX152MM)
KELLY RETRACTOR 2(2"X3"/51MMX76MM)
KELLY RETRACTOR 1(2"X4"/51MMX110MM)
KELLY RETRACTOR 1(2"X5"/51MMX127MM)
KELLY RETRACTOR 1(2"X6"/51MMX152MM)

TILT RATCHET
MECHANISMS
RATCHET MACHANISMS

Black Belt ACD Cervical Retractor Set With Titanium Blades



Black Belt ACD Cervical Retractor Set With Titanium Blades

Description:

Quantity	Description
1	Retractor or Frame RIGHT
1	Retractor or Frame LEFT
1	Retractor or Frame OFFSET
1	Blade Insertion Clamps
14	Blunt Blades 34mm - 70mm
12	Level Pronged Blades 40mm - 55mm
2	Level Blunt Blades 40mm - 55mm

Container

LEYLA BRAIN RETRACTOR SET



LEYLA BRAIN RETRACTOR SET

Description:
COMPLETE SET WITH WOODEN BOX
ITEMS IN BOX

- 1) 2 x Socket Joints
- 1 x Coupling
- Head
- 1 x Holding
- Rod
- 2 x Flexible arms with
- FixBase

2 x Flat Spatulas with
dersHol

Caspar Lumbar Micro discectomy Retractor System



Caspar Lumbar Microdiscectomy Retractor System

Description:

Sterilization

Container

Casper Disectomy

Blade Ejector Forceps

Lateral Blades - 40 mm, 45 mm , 50 mm, 55 mm, 60 mm, 65 mm, 70 mm

Speculas - 40 mm, 45 mm , 50 mm, 55 mm, 60 mm, 65 mm, 70 mm

Distal Radius 2.4mm Orthopedic Best Instruments Set Aluminum Box Screw And Plate




Description:

- Sterilisation Box
- 10 Plates with 2.7 mm locking holes (Material: 316 LStainless Steel)
- 3 – Locking crews Sfor 10 Plates (Material: 316 LStainless Steel)
- 4 – Screw Driver
- 5-2 Bone liver
- 6 – 2 Sleeves
- 7 – 3 Drill Bits
- 8 – Depth Gauge
- 9 – Sleeves Handle
- 10 – Drill & ap TGuider
- Details & Size Screw
- Total Number of Screw 10 (1Screws)

Cortical screws

- (316 L Stainless Steel Material)
- 8mm (5 Quantities) 10mm (5 Quantities)
- 12mm (5 Quantities) 14mm (5 Quantities)
- 16mm (5 Quantities) 18mm (5 Quantities)
- 20mm (5 Quantities) 22mm (5 Quantities)
- 24mm (5 Quantities) 26mm (5 Quantities)
- 28mm (5 Quantities)
- Locking screws (316 LStainless Steel Material)
- 8mm (5 Quantities)
- 10mm (5 Quantities) 12mm (5 Quantities)
- 14mm (5 Quantities) 16mm (5 Quantities)
- 18mm (5 Quantities) 20mm (5 Quantities)
- 22mm (5 Quantities) 24mm (5 Quantities)
- 26mm (5 Quantities) 28mm (5 Quantities)
- Premium Grade Stainless Steel

DHS & DCS Orthopedic Instruments Set with Aluminum Box



Description:

DHS/DCS Reamer 1PC
 DHS/DCS Reamer 1PC
 DHS/DCS Tap 12.5mm 1PC
 DHS/DCS Angled guide 150' 1PC
 DHS/DCS Angleguide 45' 1PC
 DHS/DCS Impacter 1PC
 Depth guage Large 1PC
 Screw Driver 4.5mm 1PC
 Drill Sleeve 3.5mm 4.5mm 1PC

Drill Sleeve 4.5mm 6.5mm 1PC
 Drill Guide 3.5mm 4.5mm 1PC
 Missling guage 1PC
 DHS/DCS Pana 1PC
 DHS/DCS Pana Sleeve 2PC
 Drill bit 3.5mm 2PC
 Drill bit 4.5mm 2PC
 Tap Handle 4.5mm
 Tap Handle 4.6mm

ACI-PCL Jig Reconstruction Guide Set Of 5 Pcs Knee Orthopedic Instruments



Description:

Material: A Grade Stainless Steel
Rusting Prevention Procedure: Passivated
Ultrasonic Cleaned: Yes
Lubricate: Yes
Polished: No (but possible)
Sand-Blasted: No (but possible)
Dull-Polished: Yes (German Dull)
TC : No
Gold Platted: HALF HANDLE
Usage: Left Hand or Right Hand
Tests Performed: Boil Test, Performance Test, Shape
Test Packing: Individually Packed
QC Passed: Yes

SPINE SURGERY INSTRUMENTS SET WITH ALUMINUM BOX



Description:

-Awl -Probe, Straight -
Probe, Curved

4 -Probe, Straight

5 -Double end Probe

6 -fixed pin driver

7 -ball fixed pin

8 -cylinder fixed pin

9 -Tap

10 -Tap

11 -Tap

12 -Tap

13 -Ratchet Handle

14 -Multi-axial Screw Hex
driver 15 -Fix angle screws
driver

16 -T-handle

17 -Wrenching bar

18 -Plug Starter, Hex

19 -Pre-Plug Driver

20 -20cm Template rod

21 -Rod Bender

22 -Rod holder

23 -Sagittal Plane In-Situ
Bender

24 -Sagittal Plane In-Situ Bender

25 -Rod Pusher

26 -Rod Reducer Plier

27 -Rocker

28 -Counter Reduction Sleeve wrench

29 -Final Plug Driver

30 -SW4.0 Driver shaft

31 -Curved Compressor

32 -Curved Distractor

33 -Rod Rotation Wrench

34 -Multi-axial Reduction Screw Hex driver

35 -Fix angle Reduction screws driver

36 -Rod Reducer Plier-Reduction Extension sleeve A 37

-Rod Reducer Plier-Reduction Extension sleeve B 38 -
Reduction screw Rocker

39 -Reduction Tab Breaker

40 -Rod Rotation Forcep

41 -10Nm Torsion Limited Driver

42 -Crosslink Meter

43 -Crosslink driver

44 -Crosslink Plate Bender

45 -Crosslink plate holder

46 -Crosslink Plate Locker Screw Driver

47 -Crosslink plate holder(Φ3.0)

48 -Instrument case Box

Mis Tubular Retractor Spine System Complete Set




Description :
16 mm
Cups

18 mm
Cups
20 mm
Cups

(7) Dilators (5 mm x 50 mm)(1)
Complete Bed Support System with Malleable Arm

Mis Tubular Retractor Spine System Complete Set with Sterilize case




Description : 18 mm
 16 mm Cups
 20 mm
 Cups

(7) Dilators (5 mm x 50 mm)(1)
Complete Bed Support System with Malleable Arm

sleeve
sl


K-Wire Instruments Complete Set with Sterilize case



Description:

- 1Wire Tightener Handle with two pegs1
- 2Plier cum cutter1
- 3Wire bending pliers1
- 4Wire Passer2
- 5Vice Grip1
- 6Forceps for holding cerclage wire2
- 7Wire with eye of 1.0mm dia., length 280mm10
- 8Wire with eye of 1.25mm dia., length 280mm10
- 9Wire coil, 1 each of 1.0 and 1.25mm dia.2 10K
- Wire Dia. 1.0mm, Length 150mm10
- 11K Wire Dia. 1.25mm, Length 150mm10
- 12K Wire Dia. 1.5mm, Length 150mm10
- 13K Wire Dia. 2.0mm, Length 150mm10
- 14K Wire Dia. 2.5mm, Length 150mm10
- 15K Wire Dia. 3.0mm, Length 150mm10

Large Fragment Instruments Complete Set with Sterilize case




Description:

Drill Bit $\Phi 3.2 \times 150 \text{mm}$ 2
 Drill Bit $\Phi 4.5 \times 150 \text{mm}$ 2
 Countersink $\Phi 8$ 1
 Tap cortex 4.5mm 1
 Tap cancellous 6.5mm 1
 Screw Forceps 1
 4.5 mm DCP Drill Guide neutral and load 1
 Double Drill Sleeve $\Phi 3.2/6.5$ 1
 Universal Drill Guide $\Phi 3.2/4.5$ 1
 Template 11x120 1
 Template 12x155 1
 Template 12x212 1
 Depth Gauge 0-90 1

Extraction Screw For Hexagonal 3.5mm, conical 1
 Hollow Reamer 8mm 1
 Screwdriver Hexagonal 3.5mm 1
 Reduction Forceps with points, broad, ratchet, 210mm 1
 Reduction Forceps with serrated Jaw, ratchet, 210mm 1
 Self-centering Bone Holding Forceps, 260mm 2
 Periosteal Elevator 8mm, round 1
 Periosteal Elevator 16mm, flat 1
 Hohmann Retractor, Width 44mm 2
 Bending Iron L/R 1
 quick coupling t handle 1
 screwdriver shaft 4.51
 Surgical Sterilization Box

Small Fregment Instruments Complete Set with Sterilize case




Description:

1* Elevator 9mm
 1* Elevator 12mm
 2* Bending Spanner
 1* Screw Extractor
 1* Double Drill Guide 2.5-3.5
 1* Double Drill Guide 3.0-4.0
 1* Double Drill Guide 2.5
 2* Drill bit 2.5mm
 2* Drill bit 3.0mm
 1* Screw driver Hex SW2.5

1* Screw Tap HA3.5
 1* Screw Tap HB4.0
 1* Depth Gauges 0-60mm
 1* Countersink Drill
 1* Reduction Forceps (small)
 1* Point Reduction Forceps (small)
 2* Bone Holding Forceps Self-Centering
 1* Antislip Screw Driver
 1* Screw Rack
 1* Aluminum Case


Micro Mini Instruments Complete Set with Sterilize case



Description:

Drill bit: 1.1	2 Drill bit: 1.5	Hex Head Screw driver 1.5mm	1
2 Drill bit 2.0	2 Drill bit 2.5	Hex head Screw driver 2.7mm	1
2 Drill bit 3.2	2 Neutral & Loaded Drill	Hex head screw driver 3.5mm	1
Guide		Plate Benders pair-modern design	1
-1.1mm & 1.5mm	1 -1.5mm & 2.0mm	Plate benders small	1
1 -2.0mm & 2.7mm	1 -2.5mm & 3.5mm	Periosteal Elevator(Round Head)	1
1 -3.2mm & 4.0mm	1	Broken screw exterioriser	1
Tap sleeve 1.1mm & 1.5mm		Periosteal Elevator (Flat Head)	1
Tap sleeve 2.7mm & 2.0mm		Reduction Forceps with point	1
Tap sleeve 2.5mm & 3.5mm		Reduction Forceps	1
Tap sleeve 3.2mm & 4.0mm			
HA 1.5 Tap	1 HA 2.0 Tap	Screw rack-3.5/4.0mm	1
1 HA 2.7 Tap	1 HA 3.5 Tap	1.5/2.0/2.7	1 Screw rack-
1 HA 4.0 Tap	1 Depth Gauge	Bone plate 2.0mm	1 Bone plate 1.5mm
1 Counter sink large	1 Counter sink small	Bone plate 2.7mm	
1		Bone plate 3.5/4.0mm	10
		Cortical screws self-tapping	
		1.5mm	
		2.0mm	
		2.7mm	
		3.5mm	
		4.0mm-cancellous	45

Austin Moore Set with Sterilize case



Description:

Austin moore guage	01
Austin moore impactor	01
Rasp narrow	01
Rasp broad	01
T ommy bars	02
Bone skid	01
Box Chisel	01
Cork screw	01
Nail extractor set (contain 2 weights, 1 rod , 2 hooks)	05
stainless steel T otal	Quantity. With BOX 14 Pcs

Orthopedic Hudson Brace Hand Drill Set of 7 Pcs



Description:

Brace. Length 10.2", Net eight W20.31 oz.

Extension piece for brace. Length 3.9", Net eight W3.42 oz.

Cushing 14mm Flat Drill. Length 4", Net eight W1.90 oz.

Burr, diameter 9mm, Cylindrical. Length 4", Net eight W1.83 oz.

Burr, diameter 14mm, Cylindrical. Length 3.9", Net eight W2.22 oz.

Burr, diameter 16mm, Spherical. Length 3.9", Net eight W2.26 oz.

Burr, diameter 22mm, Spherical. Length 3.9", Net eight W2.48 oz.

Premium Quality Box

Thompson Retractor Complete Set Orthopedic Surgical Instruments Stainless Steel



Description

Rail Clamps 26"(55cm) tall with 2 cam joint	2 PCS
Crossbars Angled arm 18"(8" * 10")	3 PCS
Bilateral crossbars 7 1/4" * 13 1/2" * 7 1/4"	1 PCS
Bilateral Crossbar Hinge 1" * 8 1/2" * 1" 1	1 PCS
Retractor Handles S-Lock (non-angling) 8"	3 PCS
Retractor Handles Lock Clip-on Angling 10"	1 PCS
General Surgery Blades 76mm * 51mm	1 PCS
General Surgery Blades 83mm * 76mm	2 PCS
Kelly Blades 64mm * 76mm	1 PCS
10 Kelly Blades 76mm * 89mm	1 PCS
11 Malleable Blades 13mm * 90mm	1 PCS
12 Malleable Blades 13mm * 152mm	1 PCS

Description

13 Malleable Blades 13mm * 203mm	1 PCS
14 Malleable Blades 25mm * 203mm	1 PCS
15 Malleable Blades 25mm * 104mm	1 PCS
16 Malleable Blades 51mm * 203mm	1 PCS
17 Malleable Blades 64mm * 254mm	1 PCS
18 Malleable Blades 76mm * 254mm	1 PCS
19 Malleable Blades 102mm * 254mm	1 PCS
20 St.Marks Blades 64mm * 178mm	1 PCS
21 Harrington Blades 64mm * 152mm	1 PCS
22 Wide Balfour Blades 83mm*57mm	1 PCS
23 Wide Balfour Blades 102mm*57mm	1 PCS
24 Wide Balfour Blades 14mm*57mm	1 PCS

Arthroscopy Shoulder Instruments Set with Aluminum Box



Description:

SHOULDER INSTRUMENT CASE
 PROBE, HOOK 5.4mm, TIP W/5mm MARKINGS
 BIRDBEAK, 2.75mm, 45° UP TIP
 BIRDBEAK, 2.75mm, 22° UP TIP
 SUTURE RETRIEVER, ø3.4mm, STRAIGHT
 SHOULDER DEBRIDEMENT RASP
 KNOT PUSHER, CLOSED END
 SLAP RASP
 GLENOID RASP
 SHOULDER TISSUE ELEVATOR
 SHOULDER TISSUE ELEVATOR
 ROTATOR CUFF GRASPER, 4.2mm
 CURETTE BOTH SIDE CUT, 5.4mm RING

PENETRATOR SUTURE RETRIEVER, 15°
 EXTRA LONG SWITCHING STICK
 SUTURE HOOK
 SUTURE CUTTER, OPEN ENDED, LEFT NOTCH
 FIBER TAPE CUTTER
 FIBER TAPE RETRIEVER W/SR HANDLE
 PUNCH FOR 4.5mm PUSH LOCK & CORK SCREW
 CORK SCREW PUNCH 5.5/6.5MM SWIVELock
 PUNCH FOR 3mm PUSH LOCK
 SCORPION SUTURE PASSER, HUMPBACk
 SPEAR, TROCARTIP OBTURATOR
 DRILL FOR SHORT 2.9mm PUSH LOCK
 DRILL FOR 3.5mm PUSH LOCK
 PassPort Hemostat, Curved
 PassPort Measuring Guide

Omni Tract Complete Retractor Set




Description.

Swivel Blade Holder 2
Post 1
Wishbone 1
Arm 1
Swivel Blade 1
Standard Mayo 2
Renal Vein Retractor (2.5cm x 15.2cm) 2
Richardson Stoney Retractor 1 Deaver 1
Kelly Retractor 1
Mayo Retractor Blade 1
Swivel Blade Holder 1

Splanchnic (5cm x 1.4cm) 11
Deaver Swivel Blade 1
Malleable Blade 1
Circle Clamp Assembly 7
Omni Clamp 1

Orthopedic Bone Screw Driver Quick Coupling handle 9 Pieces Set



- Description:**
- Screw Driver 1.5 mm
 - Screw Driver 2.0 mm
 - Screw Driver 2.5 mm
 - Screw Driver 3.0 mm
 - Screw Driver 3.5 mm
 - Screw Driver 4.0 mm
 - Screw Driver 4.5 mm
 - Screw Driver 5.0 mm

With Quick Coupling handle

Bone Curette set Orthopedic Surgical Instruments with Box



Bone Curette set Orthopedic Surgical Instruments with oxB

Description :


- Purple 4/0----- Straight
- Purple 4/0----- Angled
- Red 2/0----- Straight
- Red 2/0-----Angled
- Blue 0----- Straight
- Blue 0-----Angled
- Gold 2-----Straight
- Gold 2-----Angled e

Flexarm Nathen Liver Retractor Set



Description:
Same As It Is Picture


Femoral Interlocking Intramedullary Nails Instrument Set For Femur Bone Fracture Surgery



Description:

- | | |
|---------------------------------------------|----------------------------|
| Universal Joint 1 | 18 Reamer 12mm 1 |
| Drill Sleeve 2 | 19 Reamer 13mm 1 |
| Open rench1W | 20 AWL 1 |
| Quick Coupling T-Handle 1 | 21 Guide Wire 1 |
| Screwdriver 1 | 22 Hammer 1 |
| Drill Sleeve 1 | 23 Guide Rod 1 |
| Hex rench1W | 24 Connctor Rod 1 |
| Hex rench1W | 25 Nail Connector 1 |
| Drill Sleeve 1 | 26 Location Rod 1 |
| 10 Drill Sleeve1 | 27 Sighting Device Handle1 |
| 11 T-handle Drill Bit 2 | 28 Bolt 1 |
| 12 Depth Gague 10-100mm 1 | 29 Bolt1 |
| 13 Drill Bit 5.2*300mm 1 | 30 Bolt1 |
| 14 Drill Bit ϕ 4.0*300 1 | 31 Bolt 1 |
| 15Drill Bit with Limitorator ϕ 4.0*300 | 32 Fixed Connector 1 |
| 1 16 Reamer 10mm 1 | 33 Location Forcep 1 |
| 17 Reamer 11mm 1 | 34 Connector1 |
| | 35 Distal Guider 1 |
| | 36 Box 1 |

Humerus Interlocking Nail Set With box



Description:

- 1 Proximal Zig 1
- 2 Kirschner Wire with Trocar Tip 2.5mm Dia., 300mm Length 2
- 3 Projectile Reamer 1
- 4 Compression Connection Screw 1
- 5 Protection Sleeve 1.0 1 8.0mm
- 6 Drill Sleeve 8.0/2.7mm Dia. 2 Dia. 2
- 7 Trocar 8.0mm Dia. (For UHN Nail) 2
- 8 Compression Device for UHN 1
- 9 Awl with T – Handle, Cannulated 1
- 10 Coupling Block for UHN Extraction 1
- 11 Hex Nut for Connecting Screw for UHN 1
- 12 Guide Wire 1.8mm Dia, 650mm Length 1
- 13 Distal Locking Device (L-Shape) 1
- 14 Connecting Screw for UHN Cannulated – Stainless Steel 1
- 15 Spanner Stainless Steel – 17mm 1
- 16 Cannulated Hammer Guide For Coincal Bolt 1
- 17 Detachable Slide Hammer 400 gms. 1
- 18 Flexible Reamer Shaft Fixed Head 7.5mm Dia.-S.S. 7-4-PH 11
- 19 Flexible Reamer Shaft Fixed Head 6.5mm Dia.-S.S. 17-4-PH 1
- 20 Flexible Reamer Shaft Fixed Head 7.0mm Dia.-S.S. 17-4-PH 1
- 21 Flexible Reamer Shaft Fixed Head 6.0mm Dia.-S.S. 17-4-PH 1
- 22 Quick Coupling Handle T-Type 1
- 23 UHN Depth Gauge 1
- 24 Extra Long Screw Driver 3.5mm Tip 1
- 25 Drill Bit – S.S. – Quick Coupling End Dia. 2.7mm X 200mm Long 1
- 26 Spanner – 1mm 11
- 27 Graphic Box For Instruments Set With Two Tray and One 3.4mm Bolt Tray Fixed 1

Screws Cortical 4.5mm Locking



Description:

Cortical screw 4.5 mm Size each 18 mTm o 80 mm 156
Locking screw 5.0 mm Size each 18 mTm O 90 mm 150
Cancellous Screw 6.5 mm Half Thread Size each 30mm To 95 mm 44
Cancellous screw 6.5mm Full Thread Size each 30mm To 95mm 44
Orthopedic screws Lowt Of 394 peices Box Large Fragments
Cortical 4.5mm Locking 5.0mm Cancellous 6.5mm 394PCS

Mueller-Type Cement Removal Instruments Set




Description:
Same As It Is Picture

5.5mm Spinal Pedicle Screw Set



Description: Double-Head Probe (Straight & Bent)1 Single-head Probe(Straight)1
 Tap ϕ 4.5mm1
 Tap ϕ 5.5mm1
 Tap ϕ 6.5mm1
 Tap ϕ 7.5mm 1
 Mould Rod 200mm1
 Crosslink Screwdriver SW3.51
 Screw Cutter for Long Arm Screw1 Crosslink Nut Holder SW3.5 1
 Screw Nut Holder T271
 In-situ Bending Iron L1
 In-situ Bending Iron R1
 Pedicle Probe Straight1
 Pedicle Probe Bent1
 Screwdriver T271
 Fixation Pin Ball-type2
 Fixation Pin Ball-type2
 Fixation Pin Pillar-type2
 Fixation Pin Pillar-type2
 Crosslink Measurement1
 Screw Measurement1
 Rod Holding Forcep

6.0mm Spinal Pedicle Screw Set




Description:

Feeler for Screw Channel Straight
 Hex Screwdriver for Srew Nut
 Tap $\phi 4.0$
 Tap $\phi 5.5$
 Screwdriver Hex 3.5mm for Crosslink Nut
 Tap $\phi 6.0$
 Tap $\phi 7.0$
 Feeler for Screw Channel Bent
 Screw Cutter for Long Arm Screw
 Screw Nut Holder Hex
 Crosslink Nut Holder Hex
 In-situ Bending Iron
 Screwdriver for Polyaxial Screw Screwdriver
 for Monoaxial Screw
 Trail Rod

Insert Device for Fixation Pin Rod
 Pusherial
 Parallel Spreader
 Parallel Compressor
 Rod Twist
 Pedicle Probe Straight
 Pedicle Probe Bent AWL
 T-handle Quick Coupling
 Rod Holding Forcep
 Rod Bender
 Counter Torque for Screw Cutter
 Rod Pushing Forcep
 Straight Handle Quick Coupling
 Counter Torque
 Aluminium Box

6.5mm Cannulated Screw Instrument Set



Description:

Depth Gauge(0-120mm)
Threaded Guider Wire 2.5mm
Threaded Guider Wire 2.5mm
Cannulated Drill Bit with Limited Block 4.5mm
Cannulated Countersink $\Phi 9$
Hex Key
Wrench for Adjustable Parallel Wire Guider
Multiple Wire Guider
Tap Cannulated Screw 6.5mm
Screwdriver Hexagonal 3.5mm
Cleaning Stylet 2.5mm
Drill Sleeve
Adjustable Parallel Wire Guider
Cannulated Screwdriver Hexagonal 3.5mm
Aluminum Box

Anterior Cervical Fixation System Instrument Set Orthopedic



Description:

Plate and Screw Box
 Drill Bit Ø2.5
 Drill Bit Ø2.5
 Screwdriver Sleeve
 Screwdriver Sleeve
 Curette
 Screwdriver Hex SW2.5
 Tap with Stopper A WL
 Nut Screwdriver

Brace Screwdriver
 Screwdriver Hex SW2.5
 Hand Drill
 Plate Holder Forcep
 Cervical Hook
 Guider
 Distractor
 Location Screw Screwdriver
 Brace Screw
 Plate Bender ,Location Aluminium Screw

Anterior Cervical Plate System Instrument Set For Spine Surgery





Description:

Plate and Screw Box
Drill Bit Ø2.5
Drill Bit Ø2.5 Screwdriver
Sleeve Screwdriver
Curette
Screwdriver Hex SW2.5 Tap with Stopper
Nut Screwdriver
Brace Screwdriver

Screwdriver Hex SW2.5 Hand Drill
Plate Holder Forcep Cervical Hook
Cervical Hook Guider Distractor
Location Screw Screwdriver Brace
Screw
Plate Bender
Location Screw
Aluminium Box

Anterior Cervical Retractor Kit



Description:

Retractor Blade Curved 20*30
 Retractor Blade Curved 20*30
 Toothed Retractor Blade 20*30
 Toothed Retractor Blade 20*30
 Retractor Blade Curved 24*40
 Retractor Blade Curved 24*40
 Toothed Retractor Blade 24*40
 Toothed Retractor Blade 24*40
 Retractor Blade Blunt 24*40
 Retractor Blade Blunt 24*40
 Retractor


Holding Forcep

Retractor Blade Curved 20*50
 Retractor Blade Curved 20*50
 Toothed Retractor Blade 24*40
 Toothed Retractor Blade 24*40
 Retractor Blade Curved 25*60
 Retractor Blade Curved 25*60
 Toothed Retractor Blade 25*60
 Toothed Retractor Blade 25*60
 Retractor Blade Blunt 25*60
 Retractor Blade Blunt 25*60
 Aluminium Box

Mayfeild skull retractor set with headrest



Specifications:



Orthopaedic Cervical lumbar spine surgery set



Level 1 Titanium Kerrison Punches - x 4 Kerrison Titanium Punch, 2mm - 20cm/8" length Kerrison Titanium Punch, 3mm - 20cm/8" length Kerrison Titanium Punch, 4mm - 20cm/8" length Kerrison Titanium Punch, 5mm - 20cm/8" length Disc Ronguers x 6 Cushing Disc Ronguer, 2mm - 18cm/7" straight Love-Gruenwald Disc Ronguer, 3mm - 18cm/7" straight Spurling Disc Ronguer, 4mm - 18cm/7" straight Love-Gruenwald Disc Ronguer, 3mm - 18cm/7" upward Spurling Disc Ronguer, 4mm - 18cm/7" upward Williams Disc Ronguer, toothed 1mm - 23cm/9" straight



Level 2

Bone Nibblers x 6 Leksell Bone Nibbler, 3mm bite size - 24cm/9½" length Leksell Bone Nibbler, 5mm bite size - 24cm/9½" length Jansen Bone Ronguer D/A, curved 5mm bite size - 18cm/7" length Zielke Disc Ronguer, 5mm bite size - 21cm/8¼" length Rat Toothed Nibbler, 8mm bite size - 21cm/8¼" length Stille-Luer Bone Nibbler, 10mm bite size - 22cm/8½" length Bipolar Forceps Bayonet Bipolar Forceps, 1.5mm tips x 23cm/9" length Ball Tipped Probes x 2 Ball End Probe with 4mm tip - 23cm/9" length Ball End Probe with 6mm tip - 23cm/9" length

Level 3

Bone Curettes x 8 Curette, straight, cup size 0 (2mm) - 27cm/10" length Curette, straight, cup size 1 (3mm) - 27cm/10" length Curette, angled up, cup size 0 (2mm) - 27cm/10" length Curette, angled up, cup size 1 (3mm) - 27cm/10" length Bruns Curette, straight, cup size 2 (4mm) - 23cm/9" length Bruns Curette, straight, cup size 1 (5mm) - 23cm/9" length Bruns Curette, angled up, cup size 2 (4mm) - 23cm/9" length Bruns Curette, angled up, cup size 1 (5mm) - 23cm/9" length Cobb Elevators x 2 Cobbs Elevator, 13mm width x 32cm/12¾" length Cobbs Elevator, 19mm width x 32cm/12¾" length Adson Hooks x 2 Adson Sharp Hook 90°, 5mm tip - 20cm/8" length Adson Blunt Hook 90°, 5mm tip - 20cm/8" length Dissectors x 2 MacDonald Dissector - 23cm/9" length Watson Cheyne Dissector - 23cm/9" length Nerve Root Retractors x 4 Krayenbuhl Nerve Root Retractor - 21cm/8¼" length Krayenbuhl Nerve Root Retractor - 24cm/9½" length McCulloch Nerve Root Retractor 90° (Level 2) Nerve Root Retractor with Suction - 31cm/12" length

THANK YOU



CONTACT US



www.pentaxsurgical.com



pentaxsurgical@gmail.com
info@pentaxsurgical.com



+92-328 01 66 200

Visit Alibaba Site:

